DEVELOPMENTS IN INDIAN NOSOGRAPHY IN THE MADHAVANIDANA

G. J. MEULENBELD

Institute of Indian Language and Cultures of the University of Groningen Grote Kruisstraat 21 9712 TS Groningen, Holland.

ABSTRACT: Although Madhava's Rogaviniscaya commonly referred to as Madhavanidana, is largely based on earlier treatises, it has a stamp of its own, by virtue of its description of new diseases absent from earlier works. For instance, two diseases viz., 1) Sula 2) visphota are recognised as independent entities for the first time by Madhava. The description of the dosic type of Sula more extensive than that found in Susruthasamhitha is followed by a depiction of two varieties called Parinamasula and Annadravasula both unknown in aerlier medical treatises. So also, while visphota are only cursorily mentioned in the early Samhithas, Madhava confers an independent status on these group of applications. Credit goes to Madhava for having dealt with for the first time new diseases like amavatha, sitapitta, Amalapitta, Masurika, and yonikanda. Thus, in short, by identifying new diseases distinct from earlier Samhithas Madhavanidana stands out as a treatise of a class by itself testifying to positive contribution of Madhava to Indian Nosography.

Rogaviniścaya1, Mādhava's usually referred to as the Madhavanidana, has been underestimated by those describing it as a methodical arrangement of passages from the works of Caraka, Suśruta, and Vagbhata2, or as a compilation from these sources3. Though it is a well-established fact that Madhava extracted the greater part of the verses contained in his Nidana from earlier treatises4, one of his substantial contributions to Indian medicine consists of the description of new diseases, absent from earlier works, and the development of some disorders, which were not recognized as fully independent by his predecessors or only sketchily characterized by them, into autonomous nosological enities. innovations became highly influential and were almost universally acknowledged by later writers. Two diseases are recognized as independent entities for the first time by Mādhava, 1) śūla (disorders characterized by lancinating pains), and 2) vispohta (disorders characterized by a vesicular eruption).

 The Caraka⁵-and Aşţāngahrdayasamhita⁶, as well as the Aşţangasamgraha⁷, are silent on śūla, whereas it is described in Suśruta's8 chapter on the therapy of gulma (Uttara 42), though firstly as a secondary affection in that disease and only secondly as a separate entity. Mādhava's chapter on śūla (26), made up twenty-two verses probably composed by himself, characteristically precedes that on gulma and contains not a single reference to a relationship between the two. The description of the dosic types of śūla, more extensive than that found in the Suśruthasamhita, is followed by a depiction of two varieties, called parināmaśūla (which manifests itself during the digestion of food) and annadravasūla (which appears independently of the digestive process), both unknown in earlier medical The Hārītasamhıtā9 devotes a treatises. separate chapter to śūla (III, 7), but I regard this text as later in date than the Madhavanidana. The Kasyapasamhitha 10, probably earlier than the Rogaviniścaya, has a chapter on śūla (Khila 18) that is closer to Suśrutha than to Madhava.

 The disorders characterized by a vesicular eruption (vispohta) are not absent from the early samhitas, but are only cursorily mentioned there. In the Carakasamhitā they form part of the group of
swellings (śvayathu), together with herpes
zoster (kakṣā) and other skin-eruptions
(Cikitsā 12), whereas the Suśrutasamhitā
(Nidāna 13). Aṣṭāṅgahrdayasamhitā (Uttara31) and Aṣṭāṅgasamgraha (Uttara 36) regard
them as one of the many kṣudrarogas.
Mādhava, however, confers an independent
status on this group of vesicular affections
and devotes a separate chapter (53) to them,
consisting of eleven verses which, except for
one, are probably of his own making.

New diseases, appearing for the first time in Mādhava's Rogaviniścaya, are āmavāta, medoroga, šītapitta, amlapitta, masūrikā, yonikanda.

- The disease called amavata (rheumatoid arthritis), absent from the works by Caraka, Suśruta, and Vagbhata, is described in a separate chapter (25) of twelve verses which were probably composed by Madhava. Though Madhava's concept of amavata has generally been accepted by later authors, its description, independent from Madhava, as found in the Haritasamhita (III, 21), and proves that different traditions concerning this disease once existed.
- 2) The entity, called medoroga (obesity), is not mentioned as a distinct illness in earlier texts. Mådhava presents the nidåna and samprapti of medoroga in four verses which may be his own, followed by five ślokas from Caraka (Sūtra 21), and these two parts of the chapter (34) do not fit together very well because the same matter is dealt with twice.

Mādhava made medoroga into an independent nosological entity, though it was not Caraka's aim-and the same applies to Suśruta (Sūtra 15) and Vagbhaṭa (Aṣṭāṅgahṛdayasaṃhita, Sūtra 14; Aṣṭangasamgraha, Sūtra 24)-to delineate a disease, but to characterize a type of person, prone to affilictions of various kinds owing to his fatness.

 An illness called sitapitta (urticaria), not recorded in earlier texts, is described by Mādhava in a short chapter (50) of six verses, the first five of which may be his own, whereas the sixth has been borrowed from Vågbhata (Astangahrdayasamhita, Uttara 31; Astangasamgraha, Uttara 36). The same chapter contains the characteristics of udarda (a variety of urticaria, possibly urticaria e frigore), kotha, and utkotha (two types of an exanthematous, itching eruption), terms known from the early samhitas.

Mādhava deals with sītapita and udarda, along with kotha and utkotha, as a group of interrelated affections which are characterized by the appearance of a great number of red and itching round spots on the skin. Swelling and general symptoms, which usually attend sītapita and udarda, seem to be absent in cases of kotha and utkotha, caused in particular by the improper administration of emetics.

4) The term amlapitta seems to denote mostly a symptom and not a disease in the early samhitás (Caraka, Sūtra 26, 43 and 15, 47; Aştangahrdayasamhita, Nidāna 5, 42; Astāngasamgraha, Nidāna 5, 44), whereas Mādhava describes it as an independent disorder (corresponding to a dyspepsia, accompanied by vomitting, diarrhoea, or spitting of blood) in a separate chapter (51) of twelve verses which may be his own. The short chapter on amlapitta in the Hritasamhita (III, 24) may partly have been inspired by the Nidana since the upwards and downwards moving types of this disorder, distinguished by Madhava, are known to it, but it is dissimilar in other respects. The concept of amlapitta in the Kasyapasamhita, where a whole chapter (16) of the Khilasthana is devoted to it, has not been influenced by Madhava, which proves that this nosological entity has not been exclusively developed by the latter. The upwards and downwards moving varieties are absent in the Kasyapasamhita and the dosic types distinguished are not identical with those described by Madhava. Moreover, the fact is stressed that the disease particularly arise in a marshy (ānūpa) country, which explains that it should be treated with medicinal substances from a Jangala region. In cases that there is no cure by these means the patient is advised to move to another type of country. The editions of the Nidana usually add a description of slesmapitta to the chapter on amlapitta, but, since the commentators are silent on it, one may safely assume that this verse did not belong to the text originally and was added later.

5) Very important is the fact that Madhava is the first author to give a long description of masūrik (smallpox, chickenpox, and other infectious eruptive fevers). A disorder of this name is only succinctly characterized, as a variety of śvayathu (swelling), in a single verse of the Carakasamhita (Cikitsa 12), along with a related disorder, called romantika, whereas Suśruta (Nidana 13) and Vagbhata (Astangahrdayasamhita, Uttara 31; Astangasamgraha, Uttara 36) regard it as one of the ksudra-

rogas. Neither the Kaśyapa-, nor the Haritasamhita deal with it is an important autonomous disease. The Nidana on the other hand, has a chapter (54) of thirty-one verses, probably by Madhava, on masurika, and distinguishes several types, among which also romantika figures. Since the time Madhava dwelt at length on it, this illness has remained an important topic in most medical treatises.

6) The disease called yonikanda has not been described before Madhava, who deals with it in a short chapter (63) of four verses. This disorder, especially prevalent in older women according to śrikanthadatta's comment in the Vyakhyamadhukośa, corresponds to a prolapse of the uterus.

REFERENCES

- Ed. by Vaidya Jadavji Tricumji Acharya. Nirnaya Sagar Press, Bombay 1955.
- L. Renou and J. Filliozat, L'Inde Classique, Vol. 2, p. 159. Paris 1953.
- D.M. Bose, S. N. Sen and B. V. Subbarayappa (Eds.), A concise history of science in India, p. 227. New Delhi 1971.
- 4) Among these Ravigupta's Siddhasara deserves spcial mention, because it has been overlooked as one of Madhava's sources until recently. see R. E. Emmerick's review of the present author's the Madhavanidana and its chief commentary (leiden 1974) in the Bulletin of the School of Oriental and African Studies 38, 3, 1975, p. 649-650, and R. E. Emmerick's edition of

- the Sanskrit text of the Siddhasara (Wiesbaden 1980).
- Ed. by Vaidya Jadavji Trikamji Ācharya. Nirņaya Sāgar Press, Bombay 1941.
- Ed. by Pandit Bhisagacharya Hariśastri Paradkar Vaidya. Nirnaya sagar Press, Bombay 1939.
- Ed. Nirnaya Sagar Press, Bombay, 2 vols., 1951, 1962.
- Ed. by Vaidya. Jadavji Trikamji Ācharya and Narayan Ram Acharya. Nirnaya Sagar Press, Bombay 1938.
- Ed. Śriveńkatesver Steam Press, Bombay 1927/28.
- Ed. Banaras 1953. Kashi Sanskrit Series 154.